

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("((remoteorserver)withdatabase)and((clientorlocal)withdatabase)"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:07
L2	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L3	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L4	25617	L3 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L5	7067	L4 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L6	6825	L5 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L7	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L8	114	L7 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L9	67	L7 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07

## EAST Search History

L10	0	L7 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L11	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L12	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L13	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L14	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L15	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L16	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L17	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L18	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07

## EAST Search History

L19	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L20	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L21	0	(((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:07
L22	0	(((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L23	0	(((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L24	0	(((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L25	1	(((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L26	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L27	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L28	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L29	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L30	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L31	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L32	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L33	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L34	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L35	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L36	33	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L37	7	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L38	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L39	7	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L40	59	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L41	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L42	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L43	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L44	5	707/10.ccls. and L43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L45	7	707/3.ccls. and L43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L46	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L47	3	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L48	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L49	33	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L50	7	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L51	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L52	7	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L53	59	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L54	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L55	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L56	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L57	5	707/10.ccls. and L56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L58	7	707/3.ccls. and L56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L59	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08



## EAST Search History

L60	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L61	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L62	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L63	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L64	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L65	25617	L64 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L66	7067	L65 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L67	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L68	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L69	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L70	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L71	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L72	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L73	114	L72 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L74	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L75	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L76	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L77	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L78	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L79	0	("((remoteorserver)withdatabase)and((clientorlocal)withdatabase)"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L80	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L81	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L82	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L83	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L84	6825	L66 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L85	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L86	0	(((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L87	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L88	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L89	67	L72 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L90	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L91	0	L72 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L92	249	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L93	1062	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L94	172	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L95	145	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L96	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L97	36	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L98	22	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L99	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L100	15	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with (query or search)) and (((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L101	10	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L102	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L103	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L104	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L105	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L106	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L107	0	"20020095454" and (((search or query) near2 (provider adj database))with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L108	0	"20020095454" and (((search or query) near2 (provider adj database))same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L109	0	(PDA with (mail adj server)) with (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L110	3	(PDA with (mail adj server)) and (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L111	0	PDA with (mail adj server) with (local adj database)with (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L112	5	PDA with (display with font with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L113	144	PDA with (mail adj server) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L114	0	("((remoteorserver)withdatabase)and((clientorlocal)withdatabase)"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L115	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L116	25617	L115 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L117	7067	L116 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L118	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L119	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L120	114	L119 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L121	6825	L117 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L122	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L123	0	L119 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L124	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L125	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L126	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L127	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L128	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08



## EAST Search History

L129	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L130	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L131	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L132	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L133	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L134	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L135	0	(((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L136	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))) and \$1database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L137	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L138	0	(((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L139	33	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L140	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L141	37	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L142	5	707/10.ccls. and L141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L143	7	707/3.ccls. and L141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L144	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L145	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L146	33	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L147	6228	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L148	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L149	37795	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L150	25617	L149 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L151	7067	L150 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L152	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L153	0	(((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L154	5	707/10.ccls. and L148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L155	7	707/3.ccls. and L148	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L156	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L157	46484	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L158	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L159	2971	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L160	114	L159 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L161	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L162	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L163	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L164	44	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L165	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L166	0	(((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L167	0	("((remoteorserver)withdatabase)and((clientorlocal)withdatabase)"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L168	1013	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L169	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L170	6825	L151 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L171	0	(((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L172	79	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L173	0	L159 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L174	1062	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L175	172	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L176	145	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L177	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L178	22	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L179	10	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L180	0	"20020095454" and (((search or query) near2 (provider adj database))with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L181	1	(((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L182	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L183	67	L119 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L184	36	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L185	0	"20020095454" and (((search or query) near2 (provider adj database))same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L186	1	(((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L187	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L188	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L189	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L190	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L191	37	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08



## EAST Search History

L192	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L193	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L194	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L195	7	(((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L196	7	(((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L197	59	(((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L198	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L199	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L200	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L201	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L202	7	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L203	7	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L204	3	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L205	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L206	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L207	59	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L208	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L209	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L210	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L211	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L212	15	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with (query or search)) and (((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L213	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L214	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L215	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L216	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L217	67	L159 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L218	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L219	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L220	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L221	249	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L222	1	((memory adj management) with PDA) and @ad < "20040219" and server and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L223	3	((memory adj management) with PDA) and @ad < "20040219" and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L224	1	(memory adj management) with PDA with server and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L225	33	(memory adj management) with PDA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L226	15	((memory adj management) with PDA) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L227	1108	(trans\$4 with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08

## EAST Search History

L228	22692	(trans\$4 with client with server) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L229	1485	((trans\$4 or copy or download) with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L230	0	((trans\$4 or copy or download) with client with server with files with (delet\$4 near2 duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L231	0	((trans\$4 or copy or download) with client with server with files with (delet\$4 with duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L232	2	((trans\$4 or copy or download) with client with server with files) and (delet\$4 with duplicated with file) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L233	311	(gene adj signature) and (gene adj expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L234	978	gene near2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L235	2342	gene with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08

## EAST Search History

L236	2	"6437229".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L237	4	(memory adj management) with PDA with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L238	2	"20020137540"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 09:08
L239	2	"20030097358"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
L240	2	"20030110190"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/25 09:08
S1	0	("((remoteorserver)withdatabase)a nd((clientorlocal)withdatabase)"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/25 19:32
S2	35458	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:33
S3	29014	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:36
S4	23458	S3 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 08:28

## EAST Search History

S5	6369	S4 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:36
S6	6146	S5 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:36
S7	2689	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:41
S8	107	S7 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:39
S9	65	S7 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:40
S10	0	S7 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:40
S11	67	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:43
S12	23	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:43
S13	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 08:58



## EAST Search History

S14	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:01
S15	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:02
S16	876	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:02
S17	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:03
S18	31	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:27
S19	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:22
S20	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:22
S21	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:25

## EAST Search History

S22	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:25
S23	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:25
S24	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:26
S25	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 09:26
S26	4	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:56
S27	6	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 15:56
S28	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:30

## EAST Search History

S29	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:33
S30	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:33
S31	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:38
S32	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:39
S33	0	(((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:40

## EAST Search History

S34	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:40
S35	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:41
S36	26	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:42
S37	7	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:47
S38	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:53
S39	7	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:55

## EAST Search History

S40	52	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 16:55
S41	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 17:10
S42	4847	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 11:35
S43	31	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 11:35
S44	5	707/10.ccls. and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 11:36
S45	7	707/3.ccls. and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 11:36
S46	0	("((remoteorserver)withdatabase)and((clientorlocal)withdatabase)"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 11:39
S47	39540	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

## EAST Search History

S48	32219	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S49	24370	S48 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S50	6659	S49 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S51	6426	S50 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S52	2819	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S53	109	S52 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S54	65	S52 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S55	0	S52 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S56	75	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S57	26	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

## EAST Search History

S58	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S59	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S60	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S61	937	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S62	39	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S63	33	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S64	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S65	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

## EAST Search History

S66	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S67	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S68	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S69	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S70	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S71	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S72	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39



## EAST Search History

S73	2	((((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S74	0	((((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S75	0	((((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S76	2	((((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S77	2	((((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))) and \$1database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

## EAST Search History

S78	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S79	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S80	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S81	28	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S82	7	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S83	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39

## EAST Search History

S84	7	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S85	56	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S86	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:06
S87	5344	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S88	33	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S89	5	707/10.ccls. and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S90	7	707/3.ccls. and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 11:39
S91	2	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 13:31

## EAST Search History

S92	802	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:13
S93	232	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:15
S94	158	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:15
S95	134	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:16
S96	21	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:17
S97	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:19
S98	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:19
S99	35	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:20
S100	9	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:20

## EAST Search History

S10 1	14	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with (query or search)) and (((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:54
S10 2	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/09 14:54
S10 3	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:13
S10 4	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:15
S10 5	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:31
S10 6	0	"20020095454" and (((search or query) near2 (provider adj database))with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:15
S10 7	0	"20020095454" and (((search or query) near2 (provider adj database))same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 10:15
S10 8	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 13:35
S10 9	4	PDA with (display with font with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 14:22

## EAST Search History

S11 0	141	PDA with (mail adj server) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 14:23
S11 1	0	PDA with (mail adj server) with (local adj database)with (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 14:23
S11 2	0	(PDA with (mail adj server)) with (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 14:24
S11 3	3	(PDA with (mail adj server)) and (local adj database)and (remote adj database) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 14:24
S11 4	0	("((remoteorserver)withdatabase)and((clientorlocal)withdatabase)"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 15:05
S11 5	42534	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S11 6	34598	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S11 7	24944	S116 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S11 8	6850	S117 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S11 9	6614	S118 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05

## EAST Search History

S12 0	2885	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S12 1	110	S120 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S12 2	65	S120 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S12 3	0	S120 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S12 4	78	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S12 5	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S12 6	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S12 7	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S12 8	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05

## EAST Search History

S12 9	964	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S13 0	43	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S13 1	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S13 2	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S13 3	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 21:40
S13 4	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S13 5	0	((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S13 6	0	((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05



## EAST Search History

S13 7	0	((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S13 8	1	((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S13 9	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S14 0	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S14 1	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S14 2	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S14 3	0	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05

## EAST Search History

S14 4	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S14 5	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:05
S14 6	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S14 7	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S14 8	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S14 9	32	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

## EAST Search History

S15 0	7	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S15 1	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S15 2	7	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S15 3	56	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S15 4	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S15 5	5758	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S15 6	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

## EAST Search History

S15 7	5	707/10.ccls. and S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S15 8	7	707/3.ccls. and S156	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S15 9	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S16 0	2	"20050187970"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S16 1	2	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S16 2	32	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S16 3	7	((local or client) adj database) with (\$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

## EAST Search History

S16 4	7	((local or client) adj database) with (\$1if with \$1not with found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S16 5	7	((local or client) adj database) with (\$1not with found or find or match\$2)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S16 6	56	((local or client) with database) with (\$1not with found or find or match\$2)) and ((remote or server) with database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S16 7	14	((local or client) near2 database) with (\$1not with found or find or match\$2)) and ((remote or server) near2 database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and ((search or query) with parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S16 8	5758	707/10.ccls. and "18"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S16 9	37	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S17 0	5	707/10.ccls. and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

## EAST Search History

S17 1	7	707/3.ccls. and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S17 2	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and \$1database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S17 3	0	(((local or client) adj database) with "which" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S17 4	1	(((local or client) adj database) with "a" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S17 5	7	"20030200282" or "5,857,201".pn. or "5704029".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S17 6	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S17 7	34598	((remote or server) with database) same ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

## EAST Search History

S17 8	24944	S177 and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S17 9	6850	S178 and query and search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S18 0	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S18 1	37	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S18 2	2	"20050108558"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S18 3	42534	((remote or server) with database) and ((client or local) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S18 4	0	(((local or client) adj database) with "and" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S18 5	2885	((remote or server) with database with (query or search)) same ((client or local) with database with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

## EAST Search History

S18 6	110	S185 and (mobile adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S18 7	0	((local or client) adj database) with "not" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S18 8	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found in" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S18 9	0	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and "not found inn" and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S19 0	43	((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S19 1	0	((local or client) adj database) with \$1not with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S19 2	0	("((remoteorserver)withdatabase)and((clientorlocal)withdatabase)"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/10 15:06
S19 3	964	((local or client) adj database) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06



## EAST Search History

S19 4	27	((server adj database) with (query or search)) same (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S19 5	0	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables)) and "with"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S19 6	2	"6154749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S19 7	6614	S179 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S19 8	5	"20030200282" or "5,857,201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S19 9	0	(((local or client) adj database) with "is" with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S20 0	2	(((local or client) adj database) with (found or find or match)) and ((remote or server) adj database) and ((wireless or mobile) with (system or device or computer or PDA)) and @ad < "20040219" and (message or mail) and ((search or query) adj (parameters or variables))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S20 1	2	"5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

## EAST Search History

S20 2	65	S185 and (mobile adj device) and application and (search with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S20 3	78	((server adj database) with (query or search)) and (((client or local) adj database) with (query or search)) and @ad < "20040219" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S20 4	0	S185 and (mobile adj device) and application and (search with request) and (client adj database) and (server adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S20 5	232	desktop and google and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S20 6	803	desktop and google	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S20 7	158	desktop and google and @ad < "20040219" and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S20 8	134	desktop and google and @ad < "20040219" and wireless and (mobile or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S20 9	0	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S21 0	35	desktop and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

## EAST Search History

S21 1	21	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S21 2	7	desktop and google and @ad < "20040219" and wireless and (mobile or PDA) and ((local or client) adj database) and ((remote or server) adj database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S21 3	14	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with (query or search)) and (((remote or server) adj database) with (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S21 4	9	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) with search) and (((remote or server) adj database) with search)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S21 5	7	desktop and @ad < "20040219" and wireless and (mobile or PDA) and (((local or client) adj database) near3 (query or search)) and (((remote or server) adj database) near3 (query or search))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S21 6	1	"20020095454" and ((search or query) near2 (provider adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S21 7	1	"20020095454" and ((search or query) near2 (provider adj database))and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S21 8	10	@ad < "20040219" and ((search or query) near2 ((server or provider or remote) adj database)) with ((search or query) near2 ((client or local or user or consumer) adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S21 9	1	"20020095454" and ((search or query) near2 (consumer adj database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06

## EAST Search History

S22 0	0	"20020095454" and (((search or query) near2 (provider adj database))with ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S22 1	0	"20020095454" and (((search or query) near2 (provider adj database))same ((search or query) near2 (consumer adj database)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/10 15:06
S22 2	33	(memory adj management) with PDA	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:00
S22 4	1	(memory adj management) with PDA with server and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 11:59
S22 5	15	((memory adj management) with PDA) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 15:32
S22 6	1	((memory adj management) with PDA) and @ad < "20040219" and server and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:01
S22 7	3	((memory adj management) with PDA) and @ad < "20040219" and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 12:11

## EAST Search History

S22 8	22691	(trans\$4 with client with server) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:21
S22 9	1108	(trans\$4 with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:22
S23 0	1485	((trans\$4 or copy or download) with client with server with files) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:22
S23 1	0	((trans\$4 or copy or download) with client with server with files with (delet\$4 near2 duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:23
S23 2	0	((trans\$4 or copy or download) with client with server with files with (delet\$4 with duplicated)) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:23
S23 3	2	((trans\$4 or copy or download) with client with server with files) and (delet\$4 with duplicated with file) and @ad < "20040219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/23 13:24
S23 4	2340	gene with signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 14:57

## EAST Search History

S23 5	976	gene near2 signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/23 15:00
S23 6	311	(gene adj signature) and (gene adj expression)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 11:47
S23 7	2	"6437229".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 11:47
S23 8	4	(memory adj management) with PDA with server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 15:19
S23 9	2	"20020137540"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/24 15:20
S24 0	2	"20030097358"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 23:57
S24 1	2	"20030110190"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/24 23:57